

| Item No. | Vacu Fresh Parts List Description |
|-------------------|--|
| ZAP-0300702 | Valve, Vacuum 2" / AC-24,volt - Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 860 |
| ZAP-10200230 | Silicone, Sealing |
| ZAP-10203140 | Spring, Tension - Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-10300830 | On / Off Switch, Complete |
| ZAP-10300910 | Lid, Micro Switch |
| ZAP-10300930 | Panel, Control LCD (all mach. OLD TYPE) |
| ZAP-10300930-1 | Panel, Control LCD - Connector |
| ZAP-10302240 | Gas Valve 24 Volt AC Coil |
| ZAP-24400500 | Transformer, Seal -800 |
| ZAP-27200950 | Pin |
| ZAP-420T - 6 | Lid, 420T Astro |
| ZAP-45*45 | Spring Holder Bushing |
| ZAP-7320-0038-002 | Check Valve Vacu-Fresh Table-Top Single Chamber Vacuum Packaging Machine TC-280 |
| ZAP-8*62*36 | Tension Spring |
| ZAP-81200270 | Bag, Pressure Sealing - Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-82201160 | Bladder, Sealing Pressure Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-82301180 | Transformer, Sealing |
| ZAP-83401360 | Sealing Bar, Upper - Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-83402040 | Silicone Bar, Bottom - Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-905084 | Switch, On/Off return auto lid |
| ZAP-905244 | Emergency Switch |
| ZAP-EA2012121000 | Switch, Auto return Double Chamber Vacuum Packaging Machine PVDC-900 |
| ZAP-EB020350041 | Cable for Sealing Bars Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-GA200003030D | Spring, Tension Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-K9601037 | Filter, Exhaust Kit (Vacu-Fresh 280) |
| ZAP-Lid Gasket | Gasket, White Round for Lid Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-900 Only |
| ZAP-M10*190 | Screw |
| ZAP-MA200034120D | Tension Spring Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-640 |
| ZAP-NA0806000001 | Spring Washer |
| ZAP-NA2008001601 | Binding Post Screw |
| ZAP-PA2501250150 | O - Ring |
| ZAP-PAA100085160D | Socket, Handle Bar Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800/860 |
| ZAP-PAA100305060D | Holder, Sealing Bar Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800/860 |
| ZAP-PBA0403500000 | Bearing (GE35ES-DC) |
| ZAP-PDA0040000006 | Shocks, Lid Vacu-Fresh Table-Top Single Chamber Vacuum Packaging Machine TC-420 |
| ZAP-PDA0302030000 | Regulator, Air PR2000*1/4" |
| ZAP-PEA0310201030 | Valve, Sealing Solenoid Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PEA0501100000 | Cable, Control Panel PV01 10 Lines |
| ZAP-PEA1503531011 | Transformer for Sealing |
| ZAP-PEA1504481011 | Transformer, 1000va, 200-240v/50-60v Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 800 |
| ZAP-PEA2012224000 | Switch, On & Off (Stay) Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800/860 |

| | |
|---------------------|---|
| ZAP-PEA2415250044 | Switch, Micro Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-PEA5503000200 | Fuse 30 amps 20 mm |
| ZAP-PEB1712051200 | Cable Gland Vacu-Fresh Table-Top Vacuum Packaging Machine TC-420 |
| ZAP-PGA100005290E | Connector, Brass for seal bar |
| ZAP-PGA100005290E-1 | Holder, Sealing & Cutt Off Wire Vacu-Fresh Table-Top Vacuum Packaging Machine TC-420 |
| ZAP-PGA200003030D | Spring, Tension (Lid) Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 800 |
| ZAP-PHA0005001600 | Bladder, Pressure Bag TC-530 F/LR |
| ZAP-PHA0005004100 | Bladder, Pressure Bag Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PHA0007804101 | Bladder, Pressure Right 780 x 104.78 mm Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 800 |
| ZAP-PHA0007804102 | Bladder, Pressure Left 780 x 104.78 mm Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 800 |
| ZAP-PHA0008204100 | Bladder Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 860FB |
| ZAP-PHA0145006010 | Bar, Seal (Set) Seal, no cut off wire Vacu-Fresh Table-Top Single Chamber Vacuum Packaging Machine TC-420 |
| ZAP-PHA0156006000 | Bar, Sealing Set Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PHA0156012000 | Bar, Seal S/S Seal+Cut Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530FB |
| ZAP-PHA1000000000 | Wire Connector Set Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PHA1014000000 | Harness, Lid Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-PHA1016000000 | Harness, Lid Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZAP-PHA1116000000 | Spring, Tension Set Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PHA1303020100 | Panel, Control PV01 |
| ZAP-PHA1303020205 | Panel, Control PV02 Vacu-Fresh Double Chamber Vacuum Packaging Machine 1000FB |
| ZAP-PHA5100000000 | Block, End Assembly Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530 |
| ZAP-PMA200003160D | Cam (Top) |
| ZAP-PMA200004160D | Cam (Bottom) |
| ZAP-PMA200015090D | Holder, Spring 45 x 35 mm F/Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC Models |
| ZAP-PPA0317084200 | Silicone, Sealing 17x 8 mm Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-530/800/860/900 |
| ZAP-PPA0328082200 | Silicone Sealing SC Type |
| ZAP-PPA0420040200 | Gasket, Lid 11 x 13 mm Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800 4 yards / PVDC-860 4.5 yards / PVDC-900 & 520SC/DC(1020C |
| ZAP-PPA0420504200 | Gasket, Lid 2.5 yards per Lid Vacu-Fresh Table-Top Vacuum Packaging Machine TC-420F |
| ZAP-PPA0600600110 | Tube, Spring 1/4" 6 x 11 mm |
| ZAP-PPA0802540011 | Tape, Teflon 0.25 x 40 mm |
| ZAP-PPA0802555011 | Tape, Teflon 55 mm |
| ZAP-PPA0803116011 | Tape, TFE 10.31 x 16 mm (under seal wire) per piece 1 mtr. |
| ZAP-PPA1000300000 | O-Ring |
| ZAP-PPA200142250D | Lid, Top Vacu-Fresh Table-Top Single Chamber Vacuum Packaging Machine TC-420F |
| ZAP-PPA2601010000 | Diaphragm, Vent Valve 1 1/4" Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-PPA2601020000 | Diaphragm, Vacuum Valve 1 1/4" Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-800 |
| ZAP-PPA2602010000 | Diaphragm, Vent Valve 2 " |
| ZAP-PPA2602020000 | Diaphragm, Vacuum Valve 2" |
| ZAP-PPA60610 | Gauge, Vacuum Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC 900, 1000 |
| ZAP-PQA0315222100 | Casters 5" |
| ZAP-PQA0404000000 | Gauge, Vacuum 40 mm (for all models) |
| ZAP-PQA0501200004 | Wire, Cutt off 1.2 mm, round |

| | |
|-------------------|--|
| ZAP-PQA0503000005 | Wire, Seal Half Round 3 x 0.3 mm |
| ZAP-PQA0506003001 | Wire, Sealing - 6 x 0.30 mm |
| ZAP-PQA0510002501 | Wire, Seal 10 x 0.25 mm flat (Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC) type |
| ZAP-PQA1410060105 | Spring, F/DC Seal Bar 1 x 6 mm |
| ZAP-PQA1703002500 | Feet, Rubber |
| ZAP-PRA200092080D | Spring, Tension 8.5 x 60 x 25 Coil Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-860-900 |
| ZAP-PRA200114130E | Spring Assembly TC-520 |
| ZAP-PTA0328082200 | Silicone, Sealing Vacu-Fresh Single Chamber Vacuum Packaging Machine SC Type 27 x 8 mm |
| ZAP-QM1-B | Overload, Vacuum Pump |
| ZAP-RA200092080D | Spring, Lid Tension Vacu-Fresh Double Chamber Vacuum Packaging Machine PVDC-860 |
| ZVF05.ELE.001.002 | Interface set complete to convert 2001, CT 100, E-1 Circuit Board |
| ZVF05.OFO.001.002 | Operating Foil for Supermax |
| ZVF05.OFO.001.014 | Foil for Oper. Computer 3000 205 x 90 mm PN-30 |
| ZVF05.SWI.001 | 05.SWI.001.001 Main Switch |
| ZVF05.SWI.001.001 | Main Switch - Supermax |
| ZVF07.PNE.001.013 | SHOCKS, Arbor Tension Spring (Supermax) |
| ZVF1.000 | Operations Manual |
| ZVF10.030 | MAIN POWER PLUG CT100 |
| ZVF10.031 | EDGE PLUG #1 E-1-2 |
| ZVF10.036 | #1 EDGE PLUG/2001 COMPUTER |
| ZVF10.037 | #2 EDGE PLUG/2001 COMPUTER |
| ZVF10.038 | MAIN PLUG 3000S |
| ZVF10.039 | PLUG 3000S |
| ZVF10.052 | BRONZE BUSHING for PN 30, 20 mm Pin |
| ZVF10.052-12 | SMALL BRONZE BUSHING |
| ZVF10.053 | Bolt , Threaded - M10 x 85 |
| ZVF10.054 | PN30 CONVEYOR BEARING |
| ZVF10.065 | ELECTRIC CONNECT ROD PG 9 |
| ZVF10.065-I-18 | CONTACT BOLT I-18 |
| ZVF10.070 | CONTROL PANEL LOCK (PN30) |
| ZVF10.071 | Hinge, Lid (I-18) |
| ZVF10.072 | Hinge, Spring Side I-18 |
| ZVF10.074 | R1" SILENCER |
| ZVF10.075 | R1 1/2" SILENCER |
| ZVF10.077 | R1/4" SILENCER |
| ZVF10.083-CD110 | POWER CABLE ASSEMBLY |
| ZVF10.083-CD130 | SEALING CABLE 3.8 M LONG |
| ZVF10.083-ECO | SEALING CABLE - ECOMAT |

| | |
|-------------------|--|
| ZVF10.083-ECO-C | SEALING CABLE 2M LONG |
| ZVF10.084-CD110 | VALVE CABLE ASSEMBLY |
| ZVF10.084-ECO | Valve Cable - Ecomat 4 x 1.5m,2M Long |
| ZVF10.084-ED/CD | VALVE CABLE - ED/CD 3.8M LONG |
| ZVF10.091-4 | CUT-OFF LABEL |
| ZVF10.092 | CABLE GUIDE PG9 |
| ZVF10.092-PG13.5 | CABLE GUIDE |
| ZVF10.500-M6 | M 6 X 20 SCREW |
| ZVF10.500-M8 | FLAT HEAD SCREW |
| ZVF10.500M1 | 10 X 85 BOLT PN30 |
| ZVF10.521 | 521 CAP NUT 8 mm |
| ZVF10.521M8 | CAP NUT SEAL BAR PN-30 |
| ZVF10.BLE.001.016 | Air bag Support S/S for ECOMAT |
| ZVF10.VIS.001.012 | Panel Insert Comb. 3000 T + Comb, 3000S for foil 205 x 90 mm PN-30 |
| ZVF11.002 | EW PC BOARD |
| ZVF11.011 | COIL 120V STB60/80 |
| ZVF11.012 | WATER LEVEL SV110 |
| ZVF11.013 | PHOTO EYE RELAY SE110 |
| ZVF11.014 | 014 OVERLOAD 35 AMP |
| ZVF11.018 | BI-RELAY STB40/60-60/80 |
| ZVF11.020 | PWER SWITCH STB60/80 |
| ZVF11.021 | PWER SWITCH-OUT |
| ZVF11.023 | HEATING ELEMENT - ALL STB & ST 6 |
| ZVF11.025 | DIP TANK VALVE WATER INLET |
| ZVF11.027 | .25KVA TRANSFORMER DIP TANK |
| ZVF11.034-1 | VENTILATOR MOTOR |
| ZVF11.037 | E11 RELAY |
| ZVF11.052 | CONVEYOR GEAR 60/80 |
| ZVF11.055 | MOTOR GEAR 60/80 |
| ZVF11.070 | DELAY TIMER |
| ZVF11.087 | E12 RELAY |
| ZVF11.093 | CIRCUIT BREAKER - STB |
| ZVF2.002 | PLEXI LID - FLAT PICOLLO |
| ZVF2.003 | PLEXI LID - BUBBLE PICOLLO |
| ZVF2.020 | Gasket, Lid - Square 6 MM stiff (PN-30) |
| ZVF2.021 | Gasket, Lid - Round 6 MM soft (SVP-20/PN-30) |
| ZVF2.025 | WINDOW GASKET - FLAT |

| | |
|------------|--|
| ZVF2.026 | Lid I-22 - Bullet-proof glass |
| ZVF2.028 | Lid Gasket - 8MM Silicone |
| ZVF2.085 | LID, PLEXI (I-18) |
| ZVF2.085-1 | USED I-18 LID |
| ZVF3.001 | SEAL BAR COMP. I-18, I-20, 8/86 |
| ZVF3.002 | SEAL BAR COMP. - PICOLLO O/S |
| ZVF3.009 | SEAL BAR I-22/25 |
| ZVF3.011 | TOP SEAL BAR COMP. I-25A |
| ZVF3.012 | Bottom Seal Bar Comp. I-25A |
| ZVF3.020 | Tape, Teflon |
| ZVF3.025 | 15 X 1MM Strip |
| ZVF3.026 | 20 X 1MM " Glashart " Strip |
| ZVF3.030 | Wire, Seal 1/2 Round |
| ZVF3.031 | Wire, Seal Flat |
| ZVF3.033 | Wire, Cut-Off |
| ZVF3.034 | Wire, Cut-Off - " T " |
| ZVF3.040 | Silicone, 15 x 5 MM |
| ZVF3.041 | Silicone, 16 x 10 MM |
| ZVF3.043 | Silicone, 20 x 2 MM |
| ZVF3.044 | Silicone, 20 x 10 MM |
| ZVF3.045 | Silicone, 25 x 10 MM |
| ZVF3.050 | PRESSURE TUBE WEBSTAR |
| ZVF3.058 | PRESSURE TUBE I-20 |
| ZVF3.060-2 | PRESSURE TUBE PN-20 (25") |
| ZVF3.060-3 | PRESSURE TUBE PN-30 (28.5") |
| ZVF3.070 | SEAL CYLINDER MAXPAC |
| ZVF3.072 | SEAL CYLINDER I-18, I-22, I-25 |
| ZVF3.073 | Pressure Tube Duo |
| ZVF3.074 | PRESSURE TUBE-GASTRO (OBSOLETE) |
| ZVF3.083-1 | CYLINDER HEX NUT - PLASTIC |
| ZVF3.084 | PRESSURE TUBE ED/CD110 (TO S/N372) |
| ZVF3.084-1 | PRESSURE TUBE - ED/CD110 (FROM S/N373) |
| ZVF3.085-H | Pressure Tube - Ecomat (Back) |
| ZVF3.085-V | Pressure Bag -Ecomat (Front) |
| ZVF3.086 | PRESSURE TUBE - ED130 |
| ZVF3.100 | SILICONE SEAL BAR PNE/PNC |
| ZVF3.122 | SEAL BAR COMP. - GASTRO 1987 |

| | |
|------------|--|
| ZVF3.127 | SEAL BAR COMP. I-18 (AFTER 8/86) |
| ZVF3.127-P | SEAL BAR I-18 (17 7/8) |
| ZVF3.13304 | Gasket with Sieve for Supermax |
| ZVF3.146 | SEAL BAR COMP. PN-DS BOTTOM |
| ZVF3.147 | Sealing Bar ECOMAT |
| ZVF3.303 | FIBER BLOCK I-25/PN20-30 (PAIR) |
| ZVF3.304 | FIBER BLOCK O/S PN 79 (FOR I-25) |
| ZVF3.305 | FIBER BLOCK I-25/PNE |
| ZVF3.306 | FIBER BLOCK PNE/I-22,25 |
| ZVF3.307 | FIBER BLOCK I-20 |
| ZVF3.309 | FIBER BLOCK DUE (PAIR) |
| ZVF3.310 | FIBER BLOCK I-18 (PAIR) |
| ZVF3.311 | FIBER BLOCK I-25/PN UPPER (PAIR) |
| ZVF3.312 | FIBERF BLOCK I-25/PN LOWER |
| ZVF3.313 | FIBER BLOCK PNE-FLAT/CUT OFF-1986 |
| ZVF3.314 | FIBER BLOCK-PNE-T-1/2RD/CUTOFF-198 |
| ZVF4.001 | CASTER RUBBER |
| ZVF4.002 | CASTER I-25/PN30 FIXED |
| ZVF4.004 | SWIVEL CASTER PN30 |
| ZVF4.013 | ARBOR TENSION SPRING N/S |
| ZVF4.014 | ARBOR TENSION SPRING O/S (PN/PNE/PNC-30) |
| ZVF4.015 | SPRING, TENSION -ECOMAT |
| ZVF4.018 | SPRING, TENSION |
| ZVF4.019 | SPRING, TENSION I-20 N/S |
| ZVF4.020 | SEAL BAR SPRING PN/PNE/PNC 30 |
| ZVF4.021 | SEAL BAR SPRING PN20 |
| ZVF450191R | GAS VALVE 240V, 1/8" BIEDERMAN |
| ZVF450204N | GAS VALVE 24V, 1/4" BIEDERMAN |
| ZVF450449R | 0-6 BAR GAS VALVE-BIEDERMAN |
| ZVF5.001 | ON/OFF OPERATOR |
| ZVF5.002 | LID SWITCH I-25/A |
| ZVF5.003 | STOP SWITCH I-25 O/S |
| ZVF5.005 | Switch, Lid N/S |
| ZVF5.006 | MICRO SWITCH PN30 |
| ZVF5.012 | STOP SWITCH PN30 |
| ZVF5.013 | STOP SWITCH S6 (YELLOW) |
| ZVF5.015 | PUSH BUTTON SWITCH |

| | |
|----------------|--|
| ZVF5.016 | ON/OFF SWITCH 2POS |
| ZVF5.017 | 3POS SWITCH O/S PN-30. |
| ZVF5.018 | Switch, Main PNC Assy. |
| ZVF5.043 | FUSE HOLDER |
| ZVF5.050 | Potentiometer, 250 K |
| ZVF5.051 | 1MEG. VACUUM POT |
| ZVF5.101 | PD2.10 E PIC-I-20 |
| ZVF5.101-24V | RELAY PD2.10E - 24V |
| ZVF5.112 | 11.5AMP. OVERLOAD |
| ZVF5.113 | 12AMP. OVERLOAD |
| ZVF5.114 | 11.5/16AMP. OVERLOAD |
| ZVF5.115 | 16AMP. OVERLOAD |
| ZVF5.116 | 25AMP. OVERLOAD |
| ZVF5.121 | 20/240 VOLT RELAY |
| ZVF5.121-24V | PC3.10EN 24V RELAY |
| ZVF5.131 | Relay, 220 Volt |
| ZVF5.131-24V | PR3.22 RELAY |
| ZVF5.132 | TIMING RELAY |
| ZVF5.13258 | Pad for Gas Ballast |
| ZVF5.133 | Contactors, Seal 220 Volt..I-18.. |
| ZVF5.133-24V | Contactors, Seal 24 Volt |
| ZVF5.133-4-24V | 24V RELAY 4NO-DILR40 |
| ZVF5.133-4A2 | AUX CONTACT 22DIL |
| ZVF5.133-4A3 | AUX. CONTACT 31DIL |
| ZVF5.135 | D4 TIMING RELAY |
| ZVF5.135-1 | D4 SOCKET |
| ZVF5.137 | ADAPTER (5.144 RELAY) |
| ZVF5.201 | KTT0.25-220V-TRANSFORMER PIC/MAX C10-H |
| ZVF5.201-24V | TRANSFORMER -24V-PIC |
| ZVF5.204 | KTTO.5 - 220V. TRANSFORMER I-18/I-20 |
| ZVF5.204-24V | KTT0.5-24V-TRANSFORMER I-18/I-20 |
| ZVF5.205 | KTT1.5-220V-TRANSFORMER I-25/PN30 |
| ZVF5.205-24V | KTT1.5-24V-TRANSFORMER I-25/ECOMA |
| ZVF5.210-24V | KTT0.8-24V-TRANSFORMER |
| ZVF5.301 | CONTROL PANEL E-1 |
| ZVF5.302 | CONTROL PANEL E-2 |
| ZVF5.321 | FACE PLATE E-1 |

| | |
|------------------|--|
| ZVF5.323 | Panel, Plastic for CT-100 |
| ZVF5.343-NEUT-GR | PLASTIC OPERATION FOIL - CT-100 |
| ZVF5.350 | FACE PLATE 3000S COMPUTER |
| ZVF5.501 | 31PIN KKS21B83 PC BOARD |
| ZVF5.501X | EXCHANGE 31PIN PC BOARD |
| ZVF5.553 | VARISTOR PNC30ADM2 |
| ZVF5.554-24V | VARISTOR FOR RELAY - 24V |
| ZVF5.555X | Exchange E - 1 PC Board or Repair..(Note: NO EXCHANGE AVAILABLE) |
| ZVF5.556-3X | EXCHANGE 3POT E-2 PC BOARD..(Note: NO EXCHANGE AVAILABLE) |
| ZVF5.557 | EG PC BOARD |
| ZVF5.558 | E-3 PC BOARD |
| ZVF5.558X | E3 PC BOARD EXCHANGE. Note: (NO EXCHANGE AVAILABLE) |
| ZVF5.561 | BLACK GASKET-LED LIGHT |
| ZVF5.570-24 | Electronic CT-100-24 V |
| ZVF5.571 | CT50 PC BOARD |
| ZVF5.620 | 3000S Computer, Controller - 24V |
| ZVF5.620-220V | 3000S COMPUTER 220V |
| ZVF5.620-B-24V | 3000S COMPUTER W/BOX 24V |
| ZVF5.630 | 4000 COMPUTER |
| ZVF6.001-0-220V | SOLENOID VALVE 311E |
| ZVF6.001-24V | 311E SOLENOID VALVE |
| ZVF6.003-220V | TYPE 300E SOLENOID VALVE (PNT 20) |
| ZVF6.003-24V | 300E SOL. VALVE |
| ZVF6.005 | SOL. VALVE (I-18/I-20/DUO-II) |
| ZVF6.006 | SOL. VALVE PIC/24V |
| ZVF6.009 | SOL. VALVE 220V (I-18) |
| ZVF6.010 | Valve, Solenoid I-22/I-25/PN30) |
| ZVF6.011-60 | SOL. VALVE RMD106/44 |
| ZVF6.015 | 220 Valve (I-25/ PN 30) |
| ZVF6.015-1 | N/S S7A COIL 220V |
| ZVF6.015-1-24V | N/S S7A COIL 24V |
| ZVF6.015-2 | TOP PART S7A |
| ZVF6.015-3 | S7A SPRING |
| ZVF6.015-4 | S7A STEMP COMPLETE |
| ZVF6.015-5 | PISTON GUIDE TAPE |
| ZVF6.015-6 | S7A PLUG FOR COIL-220V |
| ZVF6.015-6-24V | S7A PLUG FOR COIL-24V |

| | |
|------------------|---|
| ZVF6.015-A | 24V S7A VALVE I-25/PN30 |
| ZVF6.016-0S-60 | VBZ 25/44-3/2-S BLOCK 24VOLT |
| ZVF6.016-1-60 | 220V COIL |
| ZVF6.016-1K-60 | Spare part kit for sealing valve 30 w/piston, spring washer, nut and coil voltage |
| ZVF6.018-0-24V | Solenoid Valve " Ventilation/EZ Pak" |
| ZVF6.020 | 220V SOLENOID VALVE |
| ZVF6.020-0-24V | Valve, Solenoid Type 413 - 4/2 way |
| ZVF6.021 | SOL. VALVE GASTRO |
| ZVF6.022 | VALVE PNE-T-30 |
| ZVF6.030-1 | Piston Complete for VBZ 25/44 |
| ZVF6.030-2 | PRESSURE SPRING FOR VBZ 25/44 VALV |
| ZVF6.032 | Diagonal Positioned Valve - Type 2000 |
| ZVF6.032-0VAC | Valve, Diagonal Positioned - Vacuum |
| ZVF6.101 | VACUUM GAUGE (63MM LONG) |
| ZVF6.103 | VACUUM GAUGE-36MM LONG/FOR CT100 |
| ZVF6.103-1 | VACUUM GAUGE 39MM LONG/FOR CT50 |
| ZVF7.001 | SHOCKS, TENSION SPRING S6 |
| ZVF7.002 | SHOCKS, TENSION SPRING I-20 O/S |
| ZVF7.003 | SHOCKS, TENSION SPRING (PICCOLO, C10, E-10, SUPER) |
| ZVF7.010 | LID CYLINDER I-25/PN30 |
| ZVF7.015 | Tension Spring E 15 HL |
| ZVF7.016 | ARBOR TENSION SPRING - E60/C60 |
| ZVF7.017 | TENSION SPRING GASTRO |
| ZVF7.030 | KNIFE CYLINDER-PN20/30 |
| ZVF7.031 | SEAL CYLINDER PNC-30-A-DMS |
| ZVF7.109-G | FILTER-NIPPLE R 1/8" DRILLED |
| ZVF7.110 | VENT PLUG |
| ZVF7.131-GES | 6 1/8 HOSE GROMMET STRAIGHT TYPE |
| ZVF7.131-WES-6 | 6 1/8 HOSE GROMMET ELBOW TYPE |
| ZVF7.31399 | Filter, Exhaust for Supermax Model |
| ZVF7.846 | S4 STEM |
| ZVF7.PNE.001.003 | ARBOR TENSION SPRING 550 N |
| ZVF8605K44 | Gasket, Foam 1/2" (Sold by the yard) |
| ZVF9.005 | VACUUM TURNING-BLACK (OLD BLUE) |
| ZVF9.006 | TURNING KNOB-RED (OLD YELLOW) |
| ZVF9.012 | VENTILATOR |
| ZVF9.064 | HEATER 40/60 2000W |

ZVF9.998

SEAL BAR CONNECT END

0030)